
LED*AnimationLibraryDocumentation*

Release 1.0

Adam Patt

Apr 02, 2020

Contents

1	Dependencies	3
2	Usage Example	5
3	Contributing	7
4	Building locally	9
4.1	Zip release files	9
4.2	Sphinx documentation	9
5	Table of Contents	11
5.1	Simple test	11
5.2	API Reference	11
6	Indices and tables	13
	Python Module Index	15
	Index	17

Perform a variety of LED animation tasks

CHAPTER 1

Dependencies

This driver depends on:

- [Adafruit CircuitPython](#)

Please ensure all dependencies are available on the CircuitPython filesystem. This is easily achieved by downloading the [Adafruit library and driver bundle](#).

CHAPTER 2

Usage Example

```
import adafruit_dotstar as dotstar
import board
from led_animation import color
# setup the pixel
dot = dotstar.DotStar(board.APA102_SCK, board.APA102_MOSI, 1, brightness=.2)
# set the color by name
dot[0] = color.GOLD
# show the pixel
dot.show()
```


CHAPTER 3

Contributing

Contributions are welcome! Please read our [Code of Conduct](#) before contributing to help this project stay welcoming.

4.1 Zip release files

To build this library locally you'll need to install the `circuitpython-build-tools` package.

```
python3 -m venv .env
source .env/bin/activate
pip install circuitpython-build-tools
```

Once installed, make sure you are in the virtual environment:

```
source .env/bin/activate
```

Then run the build:

```
circuitpython-build-bundles --filename_prefix circuitpython-led_animation --library_
↳ location .
```

4.2 Sphinx documentation

Sphinx is used to build the documentation based on rST files and comments in the code. First, install dependencies (feel free to reuse the virtual environment from above):

```
python3 -m venv .env
source .env/bin/activate
pip install Sphinx sphinx-rtd-theme
```

Now, once you have the virtual environment activated:

```
cd docs
sphinx-build -E -W -b html . _build/html
```

This will output the documentation to `docs/_build/html`. Open the `index.html` in your browser to view them. It will also (due to `-W`) error out on any warning like Travis will. This is a good way to locally verify it will pass.

5.1 Simple test

Ensure your device works with this simple test.

Listing 1: examples/led_animation_simpletest.py

```
1  """Blink LED animation."""
2  import board
3  import neopixel
4  from adafruit_led_animation.animation import Blink
5  import adafruit_led_animation.color as color
6
7  # Works on Circuit Playground Express and Bluefruit.
8  # For other boards, change board.NEOPIXEL to match the pin to which the NeoPixels are
   ↪ attached.
9  pixel_pin = board.NEOPIXEL
10 # Change to match the number of pixels you have attached to your board.
11 num_pixels = 10
12
13 pixels = neopixel.NeoPixel(pixel_pin, num_pixels)
14 blink = Blink(pixels, 0.5, color.PURPLE)
15
16 while True:
17     blink.animate()
```

5.2 API Reference

Used by autodoc_mock_imports.

CHAPTER 6

Indices and tables

- `genindex`
- `modindex`
- `search`

I

`led_animation`, [11](#)

L

`led_animation` (*module*), [11](#)