
AdafruitTCA9548A Library Documentation

Release 1.0

Carter Nelson

Mar 20, 2020

Contents

1	Dependencies	3
2	Installing from PyPI	5
3	Usage Example	7
4	Contributing	9
5	Documentation	11
6	Table of Contents	13
6.1	Simple test	13
6.2	Adafruit_TCA9548A	14
6.2.1	Implementation Notes	14
7	Indices and tables	15
	Python Module Index	17
	Index	19

CircuitPython driver for the TCA9548A I2C Multiplexer.

CHAPTER 1

Dependencies

This driver depends on:

- Adafruit CircuitPython
- Bus Device

Please ensure all dependencies are available on the CircuitPython filesystem. This is easily achieved by downloading the [Adafruit library and driver bundle](#).

CHAPTER 2

Installing from PyPI

On supported GNU/Linux systems like the Raspberry Pi, you can install the driver locally [from PyPI](#). To install for current user:

```
pip3 install adafruit-circuitpython-tca9548a
```

To install system-wide (this may be required in some cases):

```
sudo pip3 install adafruit-circuitpython-tca9548a
```

To install in a virtual environment in your current project:

```
mkdir project-name && cd project-name  
python3 -m venv .env  
source .env/bin/activate  
pip3 install adafruit-circuitpython-tca9548a
```


CHAPTER 3

Usage Example

```
# This example shows using two TSL2491 light sensors attached to TCA9548A channels 0 and 1.
# Use with other I2C sensors would be similar.

import time
import board
import busio
import adafruit_tsl2591
import adafruit_tca9548a

# Create I2C bus as normal
i2c = busio.I2C(board.SCL, board.SDA)

# Create the TCA9548A object and give it the I2C bus
tca = adafruit_tca9548a.TCA9548A(i2c)

# For each sensor, create it using the TCA9548A channel instead of the I2C object
tsl1 = adafruit_tsl2591.TSL2591(tca[0])
tsl2 = adafruit_tsl2591.TSL2591(tca[1])

# Loop and profit!
while True:
    print(tsl1.lux, tsl2.lux)
    time.sleep(0.1)
```


CHAPTER 4

Contributing

Contributions are welcome! Please read our [Code of Conduct](#) before contributing to help this project stay welcoming.

CHAPTER 5

Documentation

For information on building library documentation, please check out [this guide](#).

CHAPTER 6

Table of Contents

6.1 Simple test

Ensure your device works with this simple test.

Listing 1: examples/tca9548a_simpletest.py

```
1 # This example shows using two TSL2491 light sensors attached to TCA9548A channels 0_
2 ↪and 1.
3 # Use with other I2C sensors would be similar.
4 import time
5 import board
6 import busio
7 import adafruit_tsl2591
8 import adafruit_tca9548a
9
10 # Create I2C bus as normal
11 i2c = busio.I2C(board.SCL, board.SDA)
12
13 # Create the TCA9548A object and give it the I2C bus
14 tca = adafruit_tca9548a.TCA9548A(i2c)
15
16 # For each sensor, create it using the TCA9548A channel instead of the I2C object
17 tsl1 = adafruit_tsl2591.TSL2591(tca[0])
18 tsl2 = adafruit_tsl2591.TSL2591(tca[1])
19
20 # After initial setup, can just use sensors as normal.
21 while True:
22     print(tsl1.lux, tsl2.lux)
23     time.sleep(0.1)
```

6.2 Adafruit_TCA9548A

CircuitPython driver for the TCA9548A I2C Multiplexer.

- Author(s): Carter Nelson

6.2.1 Implementation Notes

Hardware:

- TCA9548A I2C Multiplexer: <https://www.adafruit.com/product/2717>

Software and Dependencies:

- Adafruit CircuitPython firmware for the supported boards: <https://github.com/adafruit/circuitpython/releases>
- Adafruit's Bus Device library: https://github.com/adafruit/Adafruit_CircuitPython_BusDevice

```
class adafruit_tca9548a.TCA9548A(i2c, address=112)
```

Class which provides interface to TCA9548A I2C multiplexer.

```
class adafruit_tca9548a.TCA9548A_Channel(tca, channel)
```

Helper class to represent an output channel on the TCA9548A and take care of the necessary I2C commands for channel switching. This class needs to behave like an I2CDevice.

```
readfrom_into(address, buffer, **kwargs)
```

Pass thru for readfrom_into.

```
try_lock()
```

Pass thru for try_lock.

```
unlock()
```

Pass thru for unlock.

```
writeto(address, buffer, **kwargs)
```

Pass thru for writeto.

```
writeto_then_readfrom(address, buffer_out, buffer_in, **kwargs)
```

Pass thru for writeto_then_readfrom.

CHAPTER 7

Indices and tables

- genindex
- modindex
- search

Python Module Index

a

[adafruit_tca9548a](#), 13

Index

A

`adafruit_tca9548a` (*module*), 13

R

`readfrom_into()` (*adafruit_tca9548a.TCA9548A_Channel method*), 14

T

`TCA9548A` (*class in adafruit_tca9548a*), 14

`TCA9548A_Channel` (*class in adafruit_tca9548a*), 14

`try_lock()` (*adafruit_tca9548a.TCA9548A_Channel method*), 14

U

`unlock()` (*adafruit_tca9548a.TCA9548A_Channel method*), 14

W

`writeto()` (*adafruit_tca9548a.TCA9548A_Channel method*), 14

`writeto_then_readfrom()` (*adafruit_tca9548a.TCA9548A_Channel method*), 14